

## Stainless Steel Grades Chart and Comparison (Includes DIN, ASTM, JIS etc. Standard)

Category	Grade	Standard	Size (MM)			Delivery Status
			Thickness	Width	Length	
Stainless Steel Cold-Rolled steel plate, steel strip (2B)	301	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	304, 304L	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	316, 316L	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	316Ti	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	410S	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 3.0	1000 or 1219	Coils	Annealing + Pickled
	410	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 3.0	1000 or 1219	Coils	Annealing + Pickled
	430	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 3.0	1000 or 1219	2000 or 2438 or Coils	Annealing + Pickled
	SUS301	JIS G4305	0.3 ~ 3.0	1000 or 1219	Coils	Solution treatment + Pickled
	SUS304, SUS304L	JIS G4305	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	SUS316, SUS316L	JIS G4305	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	SUS316Ti	JIS G4305	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	SUS321	JIS G4305	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	SUS410S	JIS G4305	0.3 ~ 3.0	1000 or 1219	Coils	Annealing + Pickled
	SUS410, SUS420J1, SUS420J2	JIS G4305	0.3 ~ 3.0	1000 or 1219	Coils	Annealing + Pickled
	SUS430	JIS G4305	0.3 ~ 3.0	1000 or 1219	2000 or 2438 or Coil	Annealing + Pickled
	SUH409L	JIS G4321	0.3 ~ 3.0	1000 or 1219	Coils	Annealing + Pickled
	X10CrNi8-8 (1.4310)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
	X5CrNi18-10 (1.4301)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled

X2CrNi18-9 (1.4307)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
X5CrNiMo17-12-2 (1.4401)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
X2CrNiMo17-12-2 (1.4404)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
X6CrNiMoTi17-12-2 (1.4571)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Solution treatment + Pickled
X6CrNiTi18-10 (1.4541)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	Coils	Annealing + Pickled
X6Cr13 (1.4000)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	Coils	Annealing + Pickled
X12Cr13 (1.4006)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	2000 or 2438 or Coil	Annealing + Pickled
X20Cr13 (1.4021)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	2000 or 2438 or Coil	Annealing + Pickled
X30Cr13 (1.4028)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	2000 or 2438 or Coil	Annealing + Pickled
X6Cr17 (1.4016)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1219	1000 or 2438 or Coil	Annealing + Pickled
X2CrTi12 (1.4512)	EN10028-7 EN10088-2	0.3 ~ 3.0	1000 or 1250	Coils	Annealing + Pickled
301	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
304, 304L	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
316, 316L	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
316Ti	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
410S	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 8.0	1000 or 1219 > 1500-2000	Coils	Annealing + Pickled
410	ASTM A240/A240M ASME SA-240/SA-240M	0.3 ~ 14.0	1000 or 1219 > 1500-2000	coils	Annealing + Pickled
405	ASTM A240/A240M ASME SA-240/SA-240M	2.5 ~ 6.0	1000 - 1500	coils	Annealing + Pickled

Stainless Steel  
Hot-Rolled steel  
plate, steel strip

430	ASTM A240/A240M ASME SA-240/SA-240M	2.5 ~ 7.0	1000 - 1250	coils	Annealing + Pickled
SUS301	JIS G4304	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
SUS304, SUS304L	JIS G4304	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
SUS316, SUS316L	JIS G4304	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
SUS316Ti	JIS G4304	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
SUS321	JIS G4304	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
SUS410S	JIS G4304	3.0 ~ 8.0	1000 - 1250	Coils	Annealing + Pickled
SUS410, SUS420J1, SUS420J2	JIS G4304	3.0 ~ 14.0	1000 - 1250	Coils	Annealing + Pickled
SUS430	JIS G4304	2.5 ~ 7.0	1000 - 1250	Coils	Annealing + Pickled
SUS405	JIS G4304	2.0 ~ 6.0	1000 - 1500	Coils	Annealing + Pickled
X10CrNi8-8 (1.4310)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
X5CrNi18-10 (1.4301)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
X2CrNi18-9 (1.4307)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
X5CrNiMo17-12-2 (1.4401)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
X2CrNiMo17-12-2 (1.4404)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
X6CrNiMoTi17-12-2 (1.4571)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
X6CrNiTi18-10 (1.4541)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 or 1219 > 1500-2000	Coils,Plates or decoiled steel sheet <6MM	Solution treatment + Pickled
X6Cr13 (1.4000)	EN10028-7 EN10088-2	3.0 ~ 8.0	1000 - 1250	Coils	Annealing + Pickled
X12Cr13 (1.4006)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 - 1250	Coils	Annealing + Pickled

	X20Cr13 (1.4021)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 - 1250	Coils	Annealing + Pickled
	X30Cr13 (1.4028)	EN10028-7 EN10088-2	3.0 ~ 14.0	1000 - 1250	Coils	Annealing + Pickled
	X6Cr17 (1.4016)	EN10028-7 EN10088-2	2.5 ~ 7.0	1000 - 1250	Coils	Annealing + Pickled
	X6CrAl13 (1.4002)	EN10088-2	2.0 ~ 6.0	1000 - 1500	Coils	Annealing + Pickled
Stainless steel medium plates or heavy plates	304, 304L	ASTM A240/A240M ASME SA-240/SA-240M	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	316, 316L	ASTM A240/A240M ASME SA-240/SA-240M	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	316Ti	ASTM A240/A240M ASME SA-240/SA-240M	10 ~ 40	1500 - 2000	4000 - 10000	Solution treatment + Pickled
	SUS304, SUS304L	JIS G4304	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	SUS316, SUS316L	JIS G4304	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	SUS316Ti	JIS G4304	10 ~ 50	1500 - 2000	4000 - 10000	Solution treatment + Pickled
	SUS321	JIS G4304	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	X5CrNi18-10 (1.4301)	EN10028-7 EN10088-2	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	X2CrNi18-9 (1.4307)	EN10028-7 EN10088-2	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	X5CrNiMo17-12-2 (1.4401)	EN10028-7 EN10088-2	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	X2CrNiMo17-12-2 (1.4404)	EN10028-7 EN10088-2	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled
	X6CrNiMoTi17-12-2 (1.4571)	EN10028-7 EN10088-2	10 ~ 40	1500 - 2000	4000 - 10000	Solution treatment + Pickled
	X6CrNiTi18-10 (1.4541)	EN10028-7 EN10088-2	10 ~ 50	1500 - 3000	4000 - 10000	Solution treatment + Pickled

**YUBI METAL CO LTD**

**Contact: Eric**

**Director - Supply Chain**

**M: +86 18675590706**

**WhatsApp: +00251929481300**

**WeChat: 584572247**

**Email-1: sales@yubisteel.com**

**Email-2: ericgui2008@gmail.com**

**Website: <https://www.yubisteel.com/>**